

CUMULATIVE INDEX 2001

Volume 18

January	BONE, CARTILAGE, AND WOUND HEALING, pages 1-216
April	RUNNING INJURIES OF THE LOWER EXTREMITY, pages 217-380
July	CHRONIC ANKLE PAIN, pages 381-554
October	BIOMECHANICS, pages 555-739

Note: Page numbers of article titles are in **boldface** type

- Abductor hallucis muscle, changes of, in
tarsal tunnel syndrome, 400
- Achilles' tendon, surgery on, **255-271**
anatomic considerations in, 255-256
in complete rupture, 256-261
in retrocalcaneal exostosis, 261-265
in tendonitis, 266-270
indications for, 256
- Achilles' tendonitis, in runners, **233-254**,
298
anatomic considerations in, 234-235
biomechanical considerations in, 235-238
causes of, 238-239
classification of, 239-240
definition of, 239
epidemiology of, 233-234
reconditioning program for, 247-252
return to running after, 319-321, 325-326
stages of, 240-241
treatment of, 241-247, 266-270
- Adductor canal outlet syndrome, in
runners, 301
- Adenosine triphosphate, activity of, in
hypertrophic scars and keloids, 148
- Adhesion molecules, in wound healing, 11
- Allogeneic bone grafting, 113, 118
techniques for, 127-128, 131-132
- Allogeneic cartilage grafting, 168-170, 173
- Allografts, of bone, definition of, 112-113
- Anesthesia, for ankle arthroscopy, 471
- Angiogenesis, in wound healing, 13-14
- Ankle
anatomy of
joint, 381-382
ligaments, 386-389
osseous, 382-385
soft tissue, 389-392
- anterior abutment in, **457-465**
classification of, 459
clinical features of, 458
diagnosis of, 458-459
origin of, 457-458
treatment of, 459-463, 473
- arthritis of. *See also* Ankle, anterior abut-
ment in.
subtalar, 520
traumatic. *See* Traumatic arthritis, of
ankle.
- arthrodesis of, for traumatic arthritis,
529-532
- arthroplasty of, for traumatic arthritis
distraction, 527-528
total, 528-529
- arthroscopy of. *See* Arthroscopy, ankle.
- débridement of, in anterior ankle abut-
ment
arthroscopic, 461-463
open, 460-461
- equinus deformity of, compensation in,
609-610
- fractures of
malunion of, osteotomy in, 528
traumatic arthritis after, 516-517
- lateral instability of, **429-441**
evaluation of, 430
surgical treatment of
complications of, 439
indications for, 431-432
literature review on, 439-440
techniques for, 432-438
- peroneus brevis tendon disorders in. *See*
Peroneus brevis tendon.
- tibial nerve compression in. *See* Tarsal
tunnel syndrome.

- Ankylosing spondylitis, cartilage damage in, 42
- Anterior ankle abutment. *See* Ankle, anterior abutment in.
- Anterior drawer test, for lateral ankle instability, 430
- Anterior tibial syndrome (chronic exertional compartment syndrome), 291-295
- Antioxidant requirements, for runners, 345
- Antirheumatic drugs, in articular cartilage damage reduction, 44
- Apligraf, for burns, 182-186
- Apoptosis, of neutrophils, in wound healing, 11-12
- Arachidonic acid metabolites
in bone healing, 64
in wound healing, 4-5, 8-9
- Aristotelian thought, on normality, 571-572
- Aronow, R., on normality, 572-573
- Arthritis
causes of, 40-44
of ankle
anterior abutment as, 457-465, 473
subtalar, 520
traumatic. *See* Traumatic arthritis, of ankle.
- Arthrodesis
of ankle
for traumatic arthritis, 529-532
of first metatarsocuneiform joint (Lapidus bunionectomy), 365-375
- Arthrography, of traumatic ankle arthritis, 522
- Arthroplasty, ankle, for traumatic arthritis distraction, 527-528
total, 528-529
- Arthroscopy
ankle, 467-480
anesthesia for, 471
approaches to, 471-472
clinical applications of, 472-476
complications of, 477-478
contraindications for, 478
historical background of, 467-469
in anterior ankle abutment, 461-463
in talar osteochondral fractures, 488, 490-491
in traumatic arthritis, 527, 530
instrumentation for, 469-471
lasers in, 476-477
techniques for, 471-472
knee, for meniscal tear repair, 314
- Articular cartilage, 35-53
anatomy of, 36-40, 162
chemical composition of, 36, 38-39, 162
grafting of, 47
healing of, 45-48, 162-163
in endochondral ossification, 98
injury of, 35, 40-44
quinolone-induced, 44-45
treatment of, 45-48
metabolism of, 39
nutrition of, 39
transplantation of, 161-176
age considerations in, 171
autologous chondrocytes in, 163-166
biphasic, 172
continuous passive motion after, 170-171
future of, 171-173
limitations of, 166, 168, 170
osteochondral allografts in, 168-170
osteochondral autografts in, 167-168
physiologic considerations in, 162-163
polyglycolic acid polymer scaffold for, 172-173
tissue engineering for, 173
- Atrophic nonunions, of bone, 82, 85-86
- Autogenous bone grafting. *See* Bone grafting, autogenous.
- Avascular necrosis, of talus
magnetic resonance imaging of, 524-525
osteochondral fractures in, 481
- Back pain, in runners, chiropractic approach to. *See* Chiropractic approach, to running injuries.
- Balance, in locomotion, 607-610
- Balance therapy, 687
- Becaplermin. *See* Platelet-derived growth factor, recombinant.
- Becker, R., on reality, 558
- Bernard, Claude, on experimental method, 652
- Berndt and Harty classification, of talar osteochondral fractures, 483-485, 498
- Bevans, J.S., on pronation, 656
- Biomechanics
of running, 353-356
Achilles' tendon and, 235-238
orthoses and, 218-219
stress fractures and, 275-276
Root model of. *See* Root model of podiatric biomechanics.
- Bleomycin, in hypertrophic scar and keloid treatment, 156
- Bojsen-Møller, F., on metatarsal biomechanics, 632
- Bone
composition of, 56-57
cortical versus cancellous, 57-58
demineralized, in grafting, 133-134
density of, stress fractures and, 276-277
development of, 97-99
embryology of, 97-98
grafting of. *See* Bone grafting.
healing of. *See* Bone healing.

- implantation of, definition of, 111
- nonunion of. *See* Nonunion.
- structure of, 57-59
- subchondral antegrade drilling of, in cartilage injury, 46
- transplantation of, definition of, 111
- Bone grafting, 109-145**
 - allogeneic, 113, 118
 - techniques for, 127-128, 131-132
 - autogenous, 112
 - cancellous, 115-116
 - cortical, 116-117
 - donor sources for, 123-127
 - techniques for, 120, 123-127, 129-130
 - ceramics in, 134-137
 - defect, 120, 122
 - demineralized bone matrix in, 133-134
 - future of, 140-141
 - growth factor in, 137-140
 - healing of
 - autogenous cancellous, 115-116
 - autogenous cortical, 116-117
 - physiology of, 114-118
 - vascularized, 117
 - history of, 109-110
 - indications for, 110-111
 - inlay, 119-120
 - onlay, 119
 - positional, 120-121
 - techniques for, 118-140
 - allogeneic, 127-128, 131-132
 - autogenous, 120, 123-127, 129-130
 - substitute materials in, 133-140
 - types of, 118-122
 - xenografts in, 132-133
 - terminology of, 111-113
 - vascularized, 117, 127
 - xenografts in, 113, 132-133
- Bone healing, 55-77**
 - bone composition and structure and, 56-59
 - bone grafting for. *See* Bone grafting.
 - electrical stimulation in
 - history of, 79-81
 - indications for, 86
 - invasive, 86-87
 - noninvasive, 88-90
 - of nonunions, 82-86
 - semi-invasive, 87-88
 - growth factors in, 67-72
 - in grafting. *See* Bone grafting, healing of.
 - in pediatric patients, 97-108
 - phases of, 81-82
 - primary, 66-67
 - reparative phase of, 104
 - secondary, 60-66
 - callus formation in, 64-66
 - impaction in, 60
 - induction in, 60, 62
 - inflammation in, 62-64
 - remodeling in, 66, 104
- Bone marrow, in bone healing, 63
- Bone morphogenic proteins
 - in bone development, 98
 - in bone grafting, 138, 140-141
 - in bone healing, 60, 69-71
- Bone scan
 - in medial tibial stress syndrome, 290
 - in stress fractures, 278, 297
 - in talar osteochondral fracture, 485
- Bordelon, R.L., on normality, 573
- Borthwick, A.M., on ethnographic research, 657
- Bosworth technique, for Achilles' tendon repair, 260-261
- Bowker, P., on pronation, 656
- Brachman, P.R., on enigma of foot, 660
- Bradykinin, in wound healing, 7-8
- Bunionectomy, Lapidus, 365-375
 - complications of, 372-374
 - evaluation for, 366-368
 - procedure for, 368-370
 - results of, 371-374
- Burger, Ormand, as Root teacher, 565
- Burns, 179-188
 - Apligraf application to, 182-186
 - classification of, 182
 - evaluation of, 179-182
- Calcaneofibular ligament, anatomy of, 386-387
- Calcaneus
 - bone graft from, 126-127
 - exostosis on, surgical treatment of, 261-265
 - stress fractures of, 282-283
- Calcified zone, of cartilage, 38
- Calcium
 - in bone, 56
 - requirements of, for runners, 340, 346
- Calcium pyrophosphate dihydrate
 - deposition disease, cartilage damage in, 43
- Calcium sulfate, in bone grafting, 134, 137
- Callus formation, in bone healing, 64-66
- Cancellous bone grafts
 - autogenous, 115-116
 - definition of, 111
- Cancellous screws, versus cortical screws, for plate fixation of fibular fractures, 539-543
- Capacitative electrical stimulators, 88-89
- Carbohydrates, for runners, 338, 341-342, 349-350
- Carboplastics, for orthoses, for runners, 221
- Cartilage
 - articular. *See* Articular cartilage.

- Cartilage (*Continued*)
 injury of, response to, 499-500
 transplantation of, in talar osteochondral fractures, 500-509, 545-549
- Cast, for talar osteochondral fracture, 488
- Cavus deformity, stress fractures in, 275
- Ceramics, in bone grafting, 134-137
- Chapman, C., on subtalar joint neutral position location, 592-593
- Chemotactic factors, in wound healing, 12
- Chirorometer, 611
- Chiropractic approach, to running injuries, 351-362
 anatomic considerations in, 352-353
 biomechanical considerations in, 353-356
 evaluation in, 356-357
 standard of practice for, 360
 treatment techniques in, 357-360
- Chondrocytes
 culture of, for transplantation, 164-165
 physiology of, 162
 transplantation of
 autologous, 163-166
 in cartilage injury, 47
- Chondromalacia, 40-41
 arthroscopy for, 473
- Chondromalacia patella (patellofemoral syndrome), in runners, 307-310
- Chronic ankle pain
 anatomic considerations in, 381-393
 arthroscopy in. *See* Arthroscopy, ankle.
 in anterior abutment, 457-463, 473
 in fibular fractures, 452-453, 539-549
 in high sprains, 443-456
 in lateral ankle instability, 429-441
 in medial talar dome lesions, 545-549
 in peroneus brevis tendon tears, 409-427
 in post-traumatic arthrosis, 515-535
 in talar osteochondral fractures. *See* Talar, osteochondral fractures of.
 in tarsal tunnel syndrome, 395-408
 mosaicplasty in, 495-513, 545-549
- Clark, N., on subtalar joint neutral position standardization, 594
- Clement classification, of Achilles' tendonitis, 239
- Clot formation, in wound healing, 3-7
- Colitis, ulcerative, cartilage damage in, 43
- Collagen(s)
 deposition of
 in hypertrophic scars and keloids, 148
 in wound healing, 16
 fibrillation of, 40
 in articular cartilage, 36-38, 162
 degradation of, 40-44
 in bone grafting, 133
 remodeling of, in wound healing, 17-18
 structure of, 16
- Collagenase, deficiency of, in hypertrophic scars and keloids, 148-149
- Collateral ligaments, anatomy of, 386
- Comminuted nonunion, of bone, 82, 84
- Compartment syndrome, chronic
 exertional, 291-295
- Compensation, in locomotion, 607-610
- Complement system, in wound healing, 7-8
- Complex regional pain syndrome, after tarsal tunnel decompression, 406
- Computed tomography
 of talar osteochondral fracture, 485
 of traumatic ankle arthritis, 525
- Comte, A., on history, 559
- Confucius, on history, 555
- Connely, John, on orthosis materials, 615-616
- Contact inhibition, in epithelialization, 15
- Contraction, in wound healing, 17
- Coralline hydroxyapatite, in bone grafting, 135-136
- Cornwall, M.W.
 on new research needs, 657
 orthosis evaluation by, 707-708
- Cortical bone grafts
 definition of, 111
 healing of, 116-117
- Corticocancellous bone grafts, definition of, 112
- Corticosteroids
 in Achilles' tendonitis, 266-267
 in articular cartilage damage reduction, 44
 in bone healing inhibition, 62-63
 injection of
 in tarsal tunnel syndrome, 402
 into hypertrophic scars and keloids, 151-152
- Creeping substitution, of bone, 114
- Crohn's disease, cartilage damage in, 43
- Cross-training, during stress fracture healing, 279-280
- Cryotherapy
 for hypertrophic scars and keloids, 154
 for plantar fasciitis, 228
- Crystalline-induced arthritis, cartilage damage in, 43
- Culture, of chondrocytes, for transplantation, 164-165
- Current of injury, 90
- Curwin-Stanish classification, of Achilles' tendonitis, 239
- Cytokines, in wound healing, 12, 18-19
- Dananberg, Howard J., work of, sagittal-plane facilitation-of-motion model based on, 627-633
- de Chardin, Teilhard, on history, 555
- Débridement
 in anterior ankle abutment

- arthroscopic, 461-463
 open, 460-461
 in cartilage injury, 46
 Decomensation, in locomotion, 607-610
 Decompression, of tarsal tunnel syndrome, 402-407
 Defect bone grafting, 120, 122
 Defect nonunion, of bone, 82, 85
 Delayed union, of bone
 electrical stimulation in. *See* Electrical stimulation, in bone healing.
 grafting in, 110-111
 Dell (lowest point) approach, in foot examination, 567-569, 686
 Deltoid ligament, anatomy of, 386
 Demineralized bone matrix, in grafting, 133-134
 Demp, Philip H.
 mathematical foot model of, 644-646, 703-704
 on foot classification, 611
 Diabetes mellitus
 tarsal tunnel syndrome in, 398-399
 ulcers in, healing of, platelet-derived growth factor in, 189-190, 192, 195-197, 199-204
 Diapedesis, in wound healing, 11
 Distraction arthroplasty, ankle, for
 traumatic arthritis, 527-528
 Divot sign, in ankle radiography, 458
 Dorsiflexion maneuver, for high ankle sprain, 449
 Double crush, in tarsal tunnel syndrome, 399
 Drilling, bone, in cartilage injury, 46
 Drugs, articular cartilage damage due to, 44-45

 Eads, W.F., on foot types, 603
 East Coast School-West Coast School
 dichotomy, in midtarsal joint biomechanics, 602, 688
 Electrical stimulation, 79-95
 in bone healing
 history of, 79-81
 indications for, 86
 invasive, 86-87
 noninvasive, 88-90
 of nonunions, 82-86
 semi-invasive, 87-88
 in wound healing, 90-92
 Electrodiagnosis, of tarsal tunnel syndrome, 400-401
 Electrodynogram, of Dananberg, sagittal-plane facilitation-of-motion model based on, 627-633
 Elephant's foot nonunion, of bone, 82
 Elftman, H., on midtarsal joint range of motion, 596-599

 EMED system, 639
 Endochondral ossification, 98
 Energy requirements, for runners, 340
 Epicondylitis, lateral (iliotibial band friction syndrome), in runners, 310-312
 Epidermal growth factor
 in bone healing, 72
 in wound healing, 20, 24
 Epithelialization, in wound healing, 14-15
 Equinus deformities, ankle, compensation in, 609-610
 Exercise
 for Achilles' tendonitis, 266
 for high ankle sprain, 452
 for running injuries
 Achilles' tendonitis, 242-252
 iliotibial band friction syndrome, 311-312
 in chiropractic approach, 359
 plantar fasciitis, 229
 Exostosis, retrocalcaneal, surgical treatment of, 261-265
 Explosive power training, for Achilles' tendonitis, 246-247
 Extensor retinaculum, anatomy of, 389
 External-rotation stress test, for high ankle sprain, 448
 Extracellular matrix
 in wound healing, 15-17
 of bone, 56-57
 of cartilage, 162

 Factors, coagulation, in wound healing, 6-8
 Fascia lata, in Achilles' tendon repair, 257-258
 Fat, dietary, for runners, 338, 343-344
 Feiss, H.O., on normality, 574-575
 Femoral artery, superficial, thrombosis of, in runners, 301
 Fibrillation, of collagen, 40
 Fibrinogen, in wound healing, 4-5
 Fibroblast(s)
 culture of, for Apligraf product, 182
 in wound healing, 13
 Fibroblast growth factors
 in bone grafting, 140
 in bone healing, 71-72
 in wound healing, 20, 23-24
 Fibrocartilage
 in bone healing, 65-66
 in cartilage repair, 45-46
 Fibrous web, of cartilage, 37
 Fibula
 anatomy of, 381-385
 bone graft from, 125-126
 fractures of

Fibula (*Continued*)

- plate fixation of, cancellous versus cortical screws in, 539-543
 - with high ankle sprain, 452-453
 - osteotomy of, for traumatic arthritis, 528
- First ray, insufficiency of, Lapidus bunionectomy in, 365-375
- Flat foot, classification of, 611
- Fluid requirements, for runners, 338, 348
- Fluoroquinolones, articular cartilage damage due to, 44-45
- 5-Fluorouracil, in hypertrophic scar and keloid treatment, 156
- Footwear
 - for runners
 - plantar fasciitis and, 227-229
 - selection of, 335
 - stress fractures related to, 275
 - orthoses for. *See* Orthoses.
- Forefoot supinatus deformity, biomechanics of, 603-604
- Fracture(s)
 - healing of. *See* Bone healing.
 - in pediatric patients
 - bone development and, 97-99
 - healing of, 101-105
 - versus adult fractures, 99-100
 - of ankle
 - malunion of, osteotomy in, 528
 - peroneus brevis tendon tears in, 413
 - traumatic arthritis after, 516-517
 - of fibula
 - plate fixation of, cancellous versus cortical screws in, 539-543
 - with high ankle sprain, 452-453
 - of talus
 - osteocondral. *See* Talus, osteochondral fractures of.
 - traumatic arthritis after, 517
 - stress. *See* Stress fractures.
 - transchondral, 41
- Fuller, Eric A., model of, 638-642

Gage, J.R., on gait analysis methods, 630

Gait

- in high ankle sprain, 449
- in running
 - biomechanics of, 235-238, 353-356
 - orthoses and, 218-219
 - in traumatic ankle arthritis, 518, 520
- Galea aponeurotica, of cartilage, 37
- Gastrocnemius complex, biomechanics of, 235-238
- Gelatinase, deficiency of, in hypertrophic scars and keloids, 148-149
- Gene enhanced tissue engineering, in cartilage injury, 48
- Glycogen management, for runners, 341, 349-350

Goniometry, errors in, 697-698

Gout, cartilage damage in, 43

Grafting

- bone. *See* Bone grafting.
- cartilage. *See* Articular cartilage, transplantation of.
- osteocondral. *See also* Mosaicplasty.
 - allogeneic, 168-170, 173
 - autologous, 167-168
 - in cartilage injury, 47
- skin, for burns, using Apligraf product, 182-186
- Granulation, in wound healing, 14
- Granulocytes, in bone healing, 63
- Graphite composites, for orthoses, for runners, 221
- Ground substance, in wound healing, 16
- Growth, in wound healing, 13
- Growth factors. *See also* specific growth factors.
 - in bone grafting, 137-140
 - in bone healing, 63, 67-72
 - in cartilage healing, 48
 - in wound healing, 12, 19-25
 - chronic, 18
- Growth plate, of bone, 98
- injury of, 100

Hallux abductovalgus deformity, Lapidus bunionectomy in, 365-375

Hallux limitus, sagittal-plane facilitation-of-motion and, 627-633

Healing

- articular cartilage, 45-48, 162-163
- bone. *See* Bone healing.
- of running injuries, nutrition for, 347
- wound. *See* Wound healing.
- Heintze, C., on Root model, 618
- Helbing's sign, 611
- Hematoma, in bone healing, 63-64, 101-102
- Hemostasis, in wound healing, 3-7
- Henenfeld, M., on normality, 573
- Heterotopic ossification, after high ankle sprain, 453
- Heuter-Volkman Law
 - in bone development, 99
 - in bone healing, 104
- Hicks, J.H., on windlass effect, 631, 721
- Hip, running effects on, chiropractic approach to. *See* Chiropractic approach, to running injuries.
- Histamine, in wound healing, 7-8
- History, of podiatric medicine, 555-556
- Hlvac, H.F., on subtalar joint neutral position location, 592
- Homeobox genes, in bone development, 98-99

- Horse's hoof nonunion, of bone, 82
- Hospers, I., on classification, 559
- Hunt, Gary
on Root model anomalies, 693
tissue-stress model of, 642-644
- Huxley, A., on core idea modification, 659
- Hyaluronan
excess of, in hypertrophic scars and keloids, 149-150
injection of, for articular repair, 171
- Hydroxyapatite
in bone, 56-57
in bone grafting, 134-137
- Hypertrophic nonunions, of bone, 82
- Hypertrophic scars and keloids, 147-159
causes of, 147-148
clinical features of, 150-151
histopathology of, 148-150
of foot, 156-157
treatment of, 151-156
- Ideation, in theory development, 562-564
- Iliac crest, bone graft from, 123
- Iliotibial band friction syndrome, in runners, 310-312
- Impaction stage, of bone healing, 60
- Impingement, in anterior ankle. *See* Ankle, anterior abutment in.
- Implantation, of bone, definition of, 111
- Inclinometer, 698
- Induction phase, of bone healing, 60, 62
- Inductive coupling electrical stimulators, 89
- Infections, leg pain in, 302
- Inflammation
in bone healing, 62-64
in wound healing, 3-12
cells in, 10-12
hemostasis in, 3-7
mediators of, 7-10
platelet-derived growth factor in, 191, 193
platelets in, 3-7
signs of, 7
vascular changes in, 7
of articular cartilage, pathophysiology of, 44
- Inflammatory bowel disease, cartilage damage in, 43
- Inge, W.R., on history, 555
- Inlay bone grafting, 119-120
- Inman, R.E., on subtalar joint neutral position location, 592
- Insulin-like growth factors
in bone healing, 71
in wound healing, 20, 24-25
- Integrins, in wound healing, 11
- Interferon(s), in hypertrophic scar and keloid treatment, 155-156
- Interleukin(s), in chronic wounds, 19
- Internal fixation, of talar osteochondral fractures, 491
- Intramembranous ossification, 98
- Iron requirements, for runners, 339, 346
- Isografts, bone, definition of, 113
- James, S.L., on subtalar joint neutral point examination, 569
- Jones' fracture, in runners, return to running after, 325-326
- Kallikrein, in wound healing, 6-9
- Keenan, A.
on Root model, 648, 693-695
on variable control in research, 656
- Keloids. *See* Hypertrophic scars and keloids.
- Kidd, R.
on Root contributions, 624
on subtalar joint neutral position calculation, 586-589
- Kinematic analysis, 653-654
of orthoses, 706-710
- Kinetic Wedge extension, 628-629, 632-633
- Kinin cascade, in wound healing, 7-8
- Kirby, Kevin A.
model of, 633-636
on two-to-one ratio of calcaneal inversion to eversion, 584
on windlass effect, 631
- Knee, running injuries about, 307-318
iliotibial band friction syndrome, 310-312
meniscal tears, 312-314
patellofemoral syndrome, 307-310
plica syndrome, 316-317
stress fractures, 314-316
- Knox, R.A., on terminology, 607
- Kuhn, Thomas, on normal science and pre-science, 557, 620-624, 646-647, 691-692
- Lakatos, I., on Root model challenges, 692-700
- Lake, N.C., on midtarsal joint stability, 601
- Lamina splendens zone, of cartilage, 36
- Landorf, K.B., on variable control in research, 656
- Lange technique, for Achilles' tendon repair, 260
- Lapidus bunionectomy, 365-375
complications of, 372-374
evaluation for, 366-368

- Lapidus bunionectomy (*Continued*)
 procedure for, 368-370
 results of, 371-374
- Laser surgery
 for ankle arthroscopy, 476-477
 for hypertrophic scars and keloids, 155
- Lateral epicondylitis (iliotibial band friction syndrome), in runners, 310-312
- Lavage, in cartilage injury, 46
- Leg length discrepancy, stress fractures in, 275-276
- Leg pain, exercise-induced, 285-306
 compartment syndrome, 291-295
 differential diagnosis of, 286-287
 infections, 302
 medial tibial stress syndrome, 287-291
 muscle strain, 297-298
 neoplasms, 302
 nerve entrapment, 298-299
 stress fractures, 295-297
 tendonitis and tenosynovitis, 298
 vascular pathology, 299-302
- Leukocytes
 in bone healing, 63
 in wound healing, 9-12
- Leukotrienes, in wound healing, 9
- Levy, Ben, orthosis of, 612, 614-615, 689
- Levy, H., on terminology, 606
- Lexicon concept, in scientific development, 623
- Linnaeus, Carl, classification system of, 560
- Lisfranc's sprain, in runners, return to running after, 322-326
- Local anesthetic injection, for traumatic ankle arthritis diagnosis, 520
- Locke syndrome, 632
- Lund and Browder chart, for burn assessment, 181
- Lundberg, A., on two-to-one ratio of calcaneal inversion to eversion, 584
- Lyme disease, cartilage damage in, 43-44
- Lymphatic system, regeneration of, in wound healing, 14
- Lymphocytes
 in bone healing, 63
 in wound healing, 12
- Lynn technique, for Achilles' tendon repair, 258
- McCarthy, D.J., on normality, 573-574
- McPoil, Thomas G.
 on Root model anomalies, 693
 orthosis evaluation by, 707-708
 tissue-stress model of, 642-644
- Macrophages
 in bone healing, 63
 in wound healing, 12
- Magic angle phenomenon, in peroneus brevis tendon tear, 417
- Magnesium requirements, for runners, 340
- Magnetic resonance imaging
 of high ankle sprain, 451
 of medial tibial stress syndrome, 290
 of meniscal tear, 314
 of peroneus brevis tendon tear, 417
 of stress fractures, 278
 of talar osteochondral fracture, 485-487
 of tarsal tunnel syndrome, 400
 of traumatic ankle arthritis, 522, 524-525
- Malleoli
 anatomy of, 385
 fractures of, traumatic arthritis after, 516-517
 osteotomy of, in talar osteochondral fracture repair, 489
- Manipulation, chiropractic, of spine, in running injuries, 358-359
- Manter, J.T.
 on midtarsal joint range of motion, 596
 on subtalar joint neutral position, 577
- Marathon running, injuries in. *See* Running injuries.
- March fractures, in runners, 281-282
- Marchand, E.R., in energy conservation, 575
- Margination, of leukocytes, in wound healing, 10-11
- Martin, Kenneth L., orthosis development by, 617
- Massage therapy, for runners
 after injury, 332-336
 elite, 334
 in body awareness training, 334
 in plantar fasciitis, 228
 interevent, 332
 postevent, 332
 pre-event, 329-331
 techniques for, 331
 time frames for, 331
- Mathieson, I., on theories, 647
- Matrix, for chondrocyte transplantation, 165-166
- Matrix metalloproteinases
 in chronic wounds, 19
 in hypertrophic scars and keloids, 148-149
- Medial tibial stress syndrome, 287-291
- Meniscal tears, in runners, 312-314
- Meniscoid bodies, arthroscopy for, 473
- Menz, H.B.
 on potential research topics, 658
 on reliable measurement techniques, 657
- Metalloproteinases
 in chronic wounds, 19
 in hypertrophic scars and keloids, 148-149

- Metatarsal(s), stress fractures of, in runners
 fifth, 282
 lesser, 281-282
 return to running after, 321, 326
- Metatarsocuneiform joint, first, arthrodesis of (Lapidus bunionectomy), 365-375
- Michaud, T.C., on Root model anomalies, 693
- Microfracture technique, in cartilage injury, 46
- Midtarsal joint, oblique axis of, excessive verticality of, 591
- Minerals, for runners, 339-340, 345-347
- Miniarthrotomy, for traumatic ankle arthritis, 530
- Mobilization, chiropractic, of spine, in running injuries, 358-359
- Monocytes, in wound healing, 9-12
- Mosaicplasty, 167-168
 for cartilage injury, 47
 for osteochondral defects
 anterior talar dome as donor site for, 545-549
 history of, 500-502
 indications for, 503
 procedure for, 503-509
- Murphy, N., on subtalar joint neutral position, 652-654
- Murray shoes, 612-613
- Muscle strain, in runners, 297-298
- Myofibroblasts, in wound contraction, 17
- Navicular, stress fractures of, in runners, 282
- Necrosis, of talus
 magnetic resonance imaging of, 524-525
 osteochondral fractures in, 481
- Neoplasms, leg pain in, 302
- Neovascularization, in wound healing, 13-14
- Nerve conduction studies, in tarsal tunnel syndrome, 400-401
- Nerve entrapment, in runners, 298-299
- Neurophysiologic-proprioceptive model, 626-627
- Neuropathic ulcers, healing of, platelet-derived growth factor in, 196-197, 199-204
- Neutrophils, in wound healing, 9-12
- Nigg, B.M.
 biomechanics model of, 720-721
 on orthosis effectiveness, 706
- Nitric oxide, excess of, in hypertrophic scars and keloids, 150
- Nonsteroidal anti-inflammatory drugs
 in articular cartilage damage reduction, 44
- in plantar fasciitis, 227-228
 in tarsal tunnel syndrome, 402
- Nonunion, of bone
 classification of, 82-86
 electrical stimulation in. *See* Electrical stimulation, in bone healing.
 grafting in, 110-111
- Normal foot
 criteria for, 699-700
 definition of, 566-567, 572-577, 686
 semantic problems with, 570-572
 subtalar joint neutral point and, 577-578
- Normal science phase, of scientific development, 621-624, 646-647
- Nutrition, for runners, 337-350
 anaerobic versus aerobic metabolism and, 337
 carbohydrates, 338, 341-342, 349-350
 energy needs, 340
 fat, 338, 343-344
 healing foods, 347
 importance of, 337
 in endurance events, 349
 minerals, 339-340, 345-347
 nutrient functions and sources for, 337-340
 postevent, 349-350
 pre-event, 349
 protein, 338, 342-343, 347
 vitamins, 338-339, 345, 347
 water, 338, 348
- Nutter, J.A., on subtalar joint neutral position standardization, 594
- Occlusive dressing, in hypertrophic scar and keloid treatment, 152-154
- Oligotrophic nonunion, of bone, 82-83
- Onlay bone grafting, 119
- Orien, W.P.
 onmidtarsal joint function, 598-603
 on subtalar joint neutral position location, 592-593
- Orthoses
 development of, biomechanical aspects of, 610-618
 fabrication of, biomechanical theories and, 715-717
 for anterior ankle abutment, 460
 for runners, 217-224
 biomechanical considerations in, 218-219
 design of, 221-223
 functional, 221-222
 in plantar fasciitis prevention, 228-229
 in stress fracture prevention, 280
 shell material for, 220-221
 sport, 222-223
 versus walking, 219-220

Orthoses (*Continued*)

- for tarsal tunnel syndrome, 402
- for traumatic ankle arthritis, 526
- research on, **705-713**
 - examples of, 710
 - kinematic methodology in, 706-708
 - theoretic constructs and, 708-709
- Root, 613-617, 689
- Osseus locking concept, in midtarsal joint motion, 598-601
- Ossification
 - heterotopic, after high ankle sprain, 453
 - process of, 97-98
- Osteoarthritis
 - cartilage damage in, 40
 - of ankle, traumatic. *See* Traumatic arthritis, of ankle.
 - of anterior ankle. *See* Ankle, anterior abutment in.
 - of subtalar joint, 520
- Osteoblasts, in bone healing, 62
- Osteocalcin, in bone, 57
- Osteochondral Autograft Transfer System, 502-509, **545-549**
- Osteochondral fractures, of talus. *See* Talus, osteochondral fractures of.
- Osteochondral grafting
 - allogeneic, 168-170
 - autologous, 167-168
 - in cartilage injury, 47
- Osteochondritis dissecans. *See* Talus, osteochondral fractures of.
- Osteoconduction, in bone graft healing, 114
- Osteogenesis, in bone graft healing, 114
- Osteoinduction, in bone graft healing, 114-115
- Osteonectin, in bone, 57
- Osteophytes, in anterior ankle. *See* Ankle, anterior abutment in.
- Osteopontin, in bone, 57
- Osteotomy
 - for traumatic arthritis, 528
 - healing of. *See* Bone healing.
 - in cartilage injury, 46
- Öunpuu, S., on gait analysis methods, 630
- Overload theory, of stress fractures, 274

Pain

- ankle, chronic. *See* Chronic ankle pain.
- in runners
 - back, chiropractic approach to. *See* Chiropractic approach, to running injuries.
 - in plantar fasciitis, 225-231
 - in stress fractures, 277
 - knee. *See* Knee, running injuries about.

leg. *See* Leg pain.

- management of, in fractures, 63
- Paradigm, in Kuhn model, 557, 620-624
- Paresthesia, in tarsal tunnel syndrome, 397, 400
- Patellofemoral syndrome, in runners, 307-310
- Payne, C.P.
 - on paradigm shift, 624-644
 - on Root model decline, 647-649, 659
- Pediatric patients, bone healing in, **97-108**
 - development and, 97-99
 - in fractures, 99-105
- Pelvis
 - imbalance of, in runners, massage therapy for, 335-336
 - running effects on, chiropractic approach to. *See* Chiropractic approach, to running injuries.
- Pencil box technique, for Achilles' tendon repair, 260
- Pepin, W.A., in energy conservation, 575
- Periosteum
 - development of, 98
 - mesenchymal cells of, transplantation of, in cartilage injury, 47
 - structure of, 59
- Peroneal nerve, superficial
 - anatomy of, 389
 - entrapment of, in runners, 298-299
- Peroneal retinaculum, incompetency of, peroneus brevis tendon tears in, 413
- Peroneal tunnel compression test, 415-417
- Peroneus brevis tendon
 - split of, versus tears, 417
 - subluxation of, versus tears, 415
 - tears of, **409-427**
 - anatomy of, 409-411
 - diagnosis of, 415-419
 - pathomechanics of, 411-415
 - treatment of, 419-425
 - tendonitis of, versus tears, 415
 - tenodesis of, for lateral ankle instability, **429-441**
- Peroneus longus muscle, anatomy of, 410
- Peroneus quartus muscle, versus low-lying peroneus brevis muscle, 417
- Peroneus tendons, anatomy of, 389-390
- Phagocytosis, in wound healing, 11-12
- Phillips, R.D.
 - on midtarsal joint function, 598-599
 - on Root model, 659
- Phonophoresis, for plantar fasciitis, 228
- Phosphate, in bone, 56
- Physical therapy
 - for high ankle sprain, 452
 - for tarsal tunnel syndrome, 402
- Physis
 - development of, 98-99
 - after fracture, 104-105

- fracture of, 100, 103
- Pistoning, in ankle arthroscopy, 472
- Plantar fascia, rupture of, in runners, return to running after, 321-322, 326
- Plantar fasciitis, in runners, 225-231
- anatomic considerations in, 226
- clinical features of, 226-227
- etiology of, 227
- treatment of, 227-229
- Plantaris tendon, in Achilles' tendon repair, 258
- Plasmin, in wound healing, 7-8
- Plastics, for orthoses, for runners, 220-221
- Plate fixation, of fibular fractures, cancellous versus cortical screws in, 539-543
- Platelet(s), in wound healing, 3-7
- Platelet-derived growth factor
- in bone grafting, 139-140
- in bone healing, 72
- in wound healing, 20-22
- recombinant, in chronic ulcer healing, 189-209
- clinical trials of, 196-198
- history of, 190
- indications for, 190, 192
- inflammatory role of, 191, 193
- mechanism of action of, 190
- preclinical studies of, 194-195
- retrospective study of, 199-206
- wound care principles and, 198-199
- Plica syndrome
- arthroscopy in, 473
- in runners, 316-317
- Plyometrics, for Achilles' tendonitis, 246-247, 251-252
- Polyethylene, for orthoses, for runners, 220-221
- Polypropylene, for orthoses, for runners, 220-222
- Popliteal artery, entrapment of, in runners, 299-301
- Positional bone grafting, 120-121
- Post-traumatic ankle arthritis. *See* Traumatic arthritis, of ankle.
- Prescience phase, of scientific development, 621, 646-647
- Pressure ulcers, healing of, platelet-derived growth factor in, 198
- Pritsch classification, of talar osteochondral fractures, 484-485
- Proliferative phase, of wound healing, 12-17
- angiogenesis in, 13-14
- contraction in, 17
- epithelialization in, 14-15
- extracellular matrix in, 15-17
- fibroblasts in, 13
- granulation in, 14
- Pronation
- plantar fasciitis in, 227
- stress fractures in, 275
- Proprioceptive training, for Achilles' tendonitis, 246
- Prostaglandins
- in bone healing, 64
- in wound healing, 4-5, 9
- Protein, for runners, 338, 342-343, 347
- Proteoglycans, in cartilage, 36, 162
- Pseudo forefoot varus, biomechanics of, 603-604
- Pseudoarthrosis
- definition of, 86
- grafting in, 110-111
- Pseudogout, cartilage damage in, 43
- Pseudotumor, of peroneus brevis tendon, 413
- Psoriatic arthritis, cartilage damage in, 42-43
- Quinolones, articular cartilage damage due to, 44-45
- Radial (deep) zone, of cartilage, 37-38
- Radiography
- of high ankle sprain, 449-451
- of talar osteochondral fracture, 485
- of traumatic ankle arthritis, 521-526
- Read, P.J., on foot types, 605
- Reconditioning, for Achilles' tendonitis, 247-252
- Regranex. *See* Platelet-derived growth factor, recombinant.
- Rehabilitation, of plantar fasciitis, 225-231
- Reiter's syndrome, cartilage damage in, 42
- Remodeling
- in bone development, 98-99
- in bone healing, 66, 104
- in wound healing, 17-18
- Rennels, D.C., medial arch model of, 721
- Reparative phase, of bone healing, 104
- Retrocalcaneal exostosis, surgical treatment of, 261-265
- Rheumatoid arthritis, cartilage damage in, 42
- Root, Merton L.
- Biomechanical Examination of the Foot*, 556, 560, 564, 567, 579, 583, 590-592, 599, 601, 606, 619
- on ankle equinus compensation, 609-610
- on classification, 561, 611
- on clinical subtalar joint neutral position, 579
- on deformity classification, 604-605
- on dell approach, 567-568, 686
- on excessive verticality of oblique mid-tarsal joint axis, 591

Root (*Continued*)

- on foot types, 603-604
- on interindividual variation, 578
- on lost proprioception, 601
- on measuring with open-kinetic chain method, 565-566
- on need for reference features, 570
- on "non-collinear" bearing surfaces, 601-602
- on normal foot, 566, 686
- on orthosis development, 613-617, 689
- on osseous locking mechanism, 598-600
- on scientific understanding, 660
- on subtalar joint position in clinical examination, 568-569
- on sudden inspiration, 564-565
- on terminology, 606-607
- on treatment decisions, 619-620
- on two-to-one ratio of calcaneal inversion to eversion, 580-581, 583, 588, 686
- on valgus deformities, 609
- Root model of podiatric biomechanics, 555-684
 - challenges to, 693-700
 - classification in, basis for, 559-562
 - closed-kinetic-chain examination protocol in, 590-591
 - compensation concept in, 607-610
 - experimental research possibilities in, 655-657
 - future of, 647-660, 719-723
 - ideation process for, 562-564
 - influence of, on podiatric medicine, 618-620
 - Kuhn scientific progress paradigm and, 620-624
 - Lee article on, critique of, 685-690
 - normal foot in
 - definition of, 572
 - semantic problems with, 570-572
 - subtalar joint neutral point and, 577-578
 - objectivity about, 691-702
 - open-kinetic-chain examination protocol in, 565-566, 579-580
 - orthoses based on, 610-618, 715-717
 - present day theories and, 624-646
 - as-yet-unknown paradigm, 646
 - Demp model, 644-646, 703-704
 - Fuller model, 638-642
 - Kirby model, 633-638
 - neurophysiologic-proprioceptive model, 626-627
 - no paradigm shift, 626
 - sagittal-plane facilitation-of-motion model, 627-633
 - tissue-stress model, 642-644
 - subtalar joint neutral point in, 602-603
 - calculation of, 580-585
 - clinical location of, 578-579, 651-652
 - definition of, 650-651, 689-690
 - early development of, 564-570
 - foot types and, 603-606
 - historical appraisal of concept, 593-595
 - integration into prevailing view of dynamic midtarsal joint function, 595-603
 - methods for determining, 591-593
 - normalcy criteria and, 577-578
 - tautologic or non-tautologic nature of, 586-590
 - terminology of, 606-607
- Rorty, R., on Kuhn model, 624
- Rossi, W.A., on normality, 574
- Rotation, in ankle arthroscopy, 472
- Rule of nines, for burn assessment, 180-181
- Running injuries
 - Achilles' tendon
 - surgery on, 255-271
 - tendonitis, 233-254, 319-321, 325-326
 - causes of, 217
 - chiropractic approach to, 351-362
 - in elite athletes, return to running after, 319-328
 - case studies of, 319-325
 - treatment for, 325-327
 - Jones' fracture, 325-326
 - knee, 307-318
 - leg pain, 285-306
 - Lisfranc's sprain, 322-326
 - massage therapy for, 329-336
 - nutritional aspects of, 337-350
 - orthoses for, 618
 - plantar fascia rupture, 321-322, 326
 - plantar fasciitis, 225-231
 - prevention of, orthoses for, 217-224, 280
 - sites for, 217
 - stress fractures. *See* Stress fractures, in runners.
- Rütt technique, for Achilles' tendon repair, 257-258, 260
- Sagittal-plane facilitation-of-motion model, 627-633
- Saphenous nerve, anatomy of, 389
- Scanning, in ankle arthroscopy, 472
- Scars
 - formation of, after tarsal tunnel decompression, 407
 - hypertrophic. *See* Hypertrophic scars and keloids.
- Schreiber, L.F., on shortened calf muscles, 609-610, 686
- Schuster, O.F.
 - Foot Orthopedics*, 618-619

- on flatfoot, 610
- Schuster, Richard O.
 - on ideal criteria, 575
 - on midtarsal joint function, 602, 688-689
- Scientific development, Kuhn model of, 557, 620-624
- Screw(s)
 - cancellous versus cortical, for plate fixation of fibular fractures, 539-543
 - for high ankle sprain fixation, 453
 - for Lapidus bunionectomy, 369
- Selectins, in wound healing, 11
- Selenium requirements, for runners, 340
- Septic arthritis, cartilage damage in, 43
- Serotonin, in wound healing, 7-9
- Seyle, H., on integration of knowledge, 660
- Shavelson, D., on success of podiatry, 558
- Shin splints. *See* Leg pain, exercise-induced.
- Shoes. *See* Footwear.
- Silicone gel sheeting, in hypertrophic scar and keloid treatment, 152-154
- Silverman, L.J., on orthoses, 610
- Skin grafting, for burns, using Apligraf product, 182-186
- Smith, C.E., on midtarsal joint motion, 596-597
- Southerland, C.C., Jr., on osseous locking concept, 603
- Spencer, H.
 - on misleading words, 590
 - on subtalar joint neutral position location, 593, 688
- Spine, running effects on, chiropractic approach to. *See* Chiropractic approach, to running injuries.
- Spondyloarthropathies, seronegative, cartilage damage in, 42
- Sports injuries. *See also* Stress fractures.
 - cartilage damage in, 41
 - high ankle sprain, 444, 447
 - in runners. *See* Running injuries.
- Sprains
 - ankle
 - high (distal tibiofibular syndesmosis), 443-456
 - anatomy of, 444, 446-447
 - classification of, 445
 - evaluation of, 447-451
 - historical background of, 444-445
 - mechanisms of injury in, 447
 - treatment of, 452-454
 - peroneus brevis tendon tears in, 415
 - versus osteochondral fracture, 485
 - cartilage injury in, 41
- Squeeze test, for high ankle sprain, 448-449
- Stem cells, transplantation of, in cartilage injury, 47
- Strain, muscle, in runners, 297-298
- Strengthening exercises, for running injuries
 - Achilles' tendonitis, 243-246
 - in chiropractic approach, 359
 - plantar fasciitis, 229
- Stress fractures, in runners, 273-284, 295-297
 - athlete education on, 280
 - calcaneus, 282-283
 - clinical features of, 277
 - diagnosis of, 277-278
 - etiology of, 274-277
 - fifth metatarsal, 282
 - in evolution, medial tibial stress syndrome as, 287-291
 - incidence of, 273-274
 - knee, 314-316
 - lesser metatarsal, 281-282
 - navicular, 282
 - return to running after, 321, 326
 - treatment of, 278-280
- Stress testing
 - for high ankle sprain, 448
 - for lateral ankle instability, 430
- Stretching exercise, for running injuries
 - Achilles' tendonitis, 242-243
 - iliotibial band friction syndrome, 311-312
 - in chiropractic approach, 359
 - plantar fasciitis, 229
- Subotnick, S.I., on normal foot, 576
- Subtalar joint
 - arthritis of, 520
 - evaluation of, in lateral ankle instability, 432
 - neutral point of, Root model and. *See* Root model of podiatric biomechanics.
- Supination, in Fuller foot type I, 640-641
- Syndesmosis ligaments
 - anatomy of, 388
 - sprain of. *See* Sprains, ankle, high.
- Synovitis, of ankle, arthroscopy for, 473-474
- Systemic lupus erythematosus, cartilage damage in, 44
- T lymphocytes, in wound healing, 12
- Talar tilt maneuver, for lateral ankle instability, 430
- Talofibular ligament
 - anatomy of, 386-389
 - anterior
 - arthroscopic stabilization of, 475
 - damage to, lateral ankle instability in, 429
- Talus
 - anatomy of, 381-382, 385

Talus (*Continued*)

- fractures of, traumatic arthritis after, 517
 - injuries of, arthroscopy for, 473, 475
 - necrosis of, magnetic resonance imaging of, 524-525
 - osteochondral fractures of, **481-493**
 - cartilage grafting in, 167-168
 - cartilage response to, 499-500
 - causes of, 481-482, 496-497
 - classification of, 483-485
 - diagnosis of, 485-487
 - histology of, 498-499
 - historical review of, 496
 - incidence of, 482
 - treatment of
 - conservative, 487-488, 498
 - mosaicplasty in, 500-509, **545-549**
 - options for, 498
 - surgical, 488-491, 498, 500-509, **545-549**
 - osteochondritis dissecans of, cartilage grafting in, 167-168
 - tumor defect in, osteochondral allograft in, 169-170
- Tarsal tunnel syndrome, **395-408**
- anatomy of, 395-397
 - causes of, 398-399
 - clinical features of, 397-398
 - diagnosis of, 399-401
 - differential diagnosis of, 401
 - treatment of
 - conservative, 401-402
 - operative, 402-407
- Tennis leg, 298
- Tenodesis, for lateral ankle instability, **429-441**
- complications of, 439
 - controversies over, 437
 - evaluation for, 430
 - indications for, 431-432
 - literature review on, 439-440
 - technique for, 432-438
- Tenosynovitis, in runners, 298
- Thornton, J.L., on history, 555
- Thrombophlebitis, in runners, 302
- Thromboxane(s), in wound healing, 4-5, 9
- Tibia
- anatomy of, 381-385
 - bone graft from, 123-125
 - osteotomy of, for traumatic arthritis, 528
 - pain in, in medial tibial stress syndrome, 287-291
 - pilon fracture of, traumatic arthritis after, 516
 - stress fractures of, in runners, 295-297
- Tibial nerve, compression of, in tarsal tunnel. *See* Tarsal tunnel syndrome.
- Tibialis anterior tendon, anatomy of, 389
- Tibiofibular syndesmosis, distal, sprain of. *See* Sprains, ankle, high.

- Tibiotalar joint, fusion of, arthroscopic, 475-476
- Tidemark zone, of cartilage, 38, 40
- Tinel sign, in tarsal tunnel syndrome, 400
- Tinley, P., on two-to-one ratio of calcaneal inversion to eversion, 583-584
- Tissue factor, in wound healing, 6-7
- Tissue-stress model, 642-644
- Torsion wedge nonunion, of bone, 82, 84
- Total body surface area, in burn assessment, 179-181
- Tram track lesions, arthroscopy in, 473
- Transforming growth factor- β
- excess of, in hypertrophic scars and keloids, 149
 - in bone grafting, 137-138
 - in bone healing, 68-69
 - in wound healing, 20, 22-23
- Transitional zone, of cartilage, 37
- Transplantation
- articular cartilage. *See* Articular cartilage, transplantation of.
 - bone, definition of, 111
 - cell, in cartilage injury, 47
 - osteochondral. *See* Mosaicplasty.
- Traumatic arthritis, of ankle, **515-535**
- clinical features of, 517
 - etiology of, 515-516
 - incidence of, 516-517
 - pathogenesis of, 516
 - physical examination in, 517-518, 520-521
 - radiography of, 521-526
 - treatment of, 526-533
- Triamcinolone, injection of, into hypertrophic scars and keloids, 151-152
- Triangulation, in ankle arthroscopy, 472
- Tricalcium phosphate, in bone grafting, 134, 136-137
- Tumor necrosis factor- α , in chronic wounds, 19
- Turchin, Charles R.
- balance therapy method of, 687
 - on normality, 572-573
- Ulcer(s), chronic, healing of, 18-19
- electrical stimulation in, 91-92
 - recombinant platelet-derived growth factor gel in, **189-209**
- Ulcerative colitis, cartilage damage in, 43
- Ultrasonography, of peroneus brevis tendon tear, 418-419
- Ultrasound treatment, for plantar fasciitis, 228
- Vácha, J., on meaning of normal, 570

- Valgus deformities
 compensation in, 609, 688-689
 definition of, 604
 joint function in, 603-605
- Varicosities, tarsal tunnel syndrome in, 398
- Varus deformities
 compensation in, 608-609
 definition of, 604
 joint function in, 603-605
- Vascular pathology, in runners, 299-302
- Venous thrombosis, in runners, 302
- Vitamins, for runners, 338-339, 345, 347
- von Willebrand factor, in wound healing, 3, 5
- Wallas model of ideation, 562-564
- Water requirements, for runners, 338, 348
- Wedges, in orthoses, 615-616
- Weed, John
 examination technique of, 633-634
 on foot classification, 611
 on subtalar joint neutral position location, 592
 on subtalar joint position measurements in varied population, 582-583
- Weinerman, Harry, inspiration on foot imbalance, 564
- Wernick, J., on subtalar joint neutral position location, 592
- Wet leather sign, in peroneal tunnel compression test, 416-417
- Wille, Milton G., on osseous locking mechanism, 599
- Winter, D.A., on kinematic analysis, 653
- Wolf, J.E., Jr., on role of ideas, 662
- Wolff's law
 in bone development, 99
 in bone healing, 66
- Wood Jones, F., on ideal foot, 576-577
- Wound(s)
 chronic. *See also* Ulcer(s), chronic.
 definition of, 18
 healing of, 18-19
 definition of, 1
- Wound healing, 1-33
 electrical stimulation in, 90-92
 failure of, 19
 growth factors in, 19-25
 hypertrophic scar and keloid formation in, 147-159
 of chronic wounds. *See* Ulcer(s), chronic.
 phases of, 1-18, 90-91
 inflammatory, 3-12
 proliferative, 12-17
 remodeling, 17-18
 wound care principles for, 198-199
- Wright, D.G.
 medial arch model of, 721
 on subtalar joint neutral position, 654-655
- Xenografting, of bone, definition of, 113
- Yadav, R.M., on ideation, 562
- Zervos, J.C., on normality, 573-574
- Zinc requirements, for runners, 339, 347